



Timing	Action	Lead Role	Notes	Done
12 Weeks	Club Reaches Out to DVC to Schedule Event	Club Visioning		
Prior	– Provide 2-3 potential dates Targeting 2 nd	Coordinator &		
	Tuesdays; 2 nd & 3 rd Thursdays of the Month	DVCoord.		
10 Weeks	District Team Leader & Team Are Committed	DVChair	CC districtvision6690@gmail.com	
Prior				
	District Lead & Club Visioning Coordinator			
	Are Connected			
	Date Confirmed			
8 Weeks	Club Participants Committed, Including AG	Club Visioning		
Prior	Location Established	Coordinator,		
	Refer to Preparation Materials on District	District Team		
	Vision page reviewed.	Leader &		
	www.Rotary6690.org/our-clubs/visioning	AG		
4 Weeks	Online Survey Distributed to ALL Club	DVCoord. &	CC-	
Prior	Members	Club Visioning	District Team Leader & AG	
		Coordinator		
4 Weeks	Confirm Club's Review of FAQs, Room Set	Club Visioning		
Prior	Up, Projector/Laptop Needs, Meal	Coordinator &		
	Arrangements, Pre-Session Club Profile	District Team		
	Completed, Event Location Address	Leader & AG		





7 Days After	Coordinator and AG. Completed Wall Chart Summaries sent to	Club Visioning	Send directly to DG, DGE, AG	
Day After Event	Send Next Steps Materials to District Team Lead who forwards to Club Vision	DVCoord.		
	Spreadsheet – Use Form Provided by District Coordinator.			
Day of Event	Determine who is responsible for collecting Wall Chart Summaries into	District Team Leader & AG		
		Leader & AG		
	Facilitation Team Arrive 30 Minutes Prior to Event for Set Up	Coordinator & District Team		
Day of Event	Club Vision Coordinator & District	Club Visioning	Responsible for analyzing and assuring summary during event. HARD START 30 minutes later.	
2 Weeks Prior	Survey Results Provided	DVCoord.	Sent to District Team Leader Team Leader provides results to Club Coordinator and AG.	

Roles: DVChair: Steve Sandbo DVCoord: Tricia Strahler AG: Assigned Per Club District Team Leader: Assigned Per Club by DVChair Club Vision Coordinator: Assigned By Club to Coordinate Details With District Team Leader